

Google scholar

"description file" and layout and condition and (

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations

☐

Create email alert

Results 1 - 100 of about 390. (0.32 sec)

[\[PDF\] A platform-independent user interface description language](#)

[psu.edu](#) [PDF]

H Stotner - 2001 - CiteSeer

... The interpretation of an UIML-Interface **description file** displays a user interface ... class="JFrame" name="jframe"> <style> <property name="title">Button event</property> <property name="layout">java.awt ... The **condition** defines that the 'actionPerformed' event is linked to the ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[\[CITATION\] PML: adding flexibility to multimedia presentations](#)

[psu.edu](#) [PDF]

A Ram, R Catrambone, MJ Guzdial, CM Kehoe, DS ... - IEEE multimedia, 1999

[Cited by 12](#) - [Related articles](#) - [BI Direct](#) - [All 18 versions](#)

[\[PDF\] Document analysis components](#)

[psu.edu](#) [PDF]

A Anjewierden - IBROW Deliverable D2b (part 2) - CiteSeer

... updated version of the library now contains documentation of the Document **Lay-out** Analysis components ... Input specification **Description file**(File) A local File kb(KB) A local knowledge base ... remove **layout** structure 47 **xml**(rblock) **xml**(rblock) Removes the **layout** structure, leav ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[Design of Automation Systems for Web Based Courseware Using XML and XSL T](#)

Y Shiota - Databases in Networked Information Systems, 2005 - Springer

... Meanwhile, their disadvantage is that they produce Web pages of uniform appearance whose content, **layout** and generated dialogues can thus be tedious for the viewer. ... (5) Separate the various parts of the **condition**. ... Definition Data of "Problem A" (Meta-level **Description File**) ...

[Cited by 2](#) - [Related articles](#) - [All 3 versions](#)

[Semi-automatic Generation of Web-Based Computing Environments for Software Libraries](#)

P Johansson, D Kressner - Computational Science—ICCS 2002, 2002 - Springer

... It contains specifications of name, location and parameters to the callable routine together with possible **conditions** on those. ... An important aspect is that each **description file** contains exactly the information related to one routine. ... **Layout** rendering. ...

[Cited by 1](#) - [Related articles](#) - [BI Direct](#) - [All 6 versions](#)

[Method and system for separation of content and layout definitions in a display description](#)

MP Oeder, I Zaika, MR Labarge - US Patent App. 10/780,547, 2004 - Google Patents

... 18,2005 Sheet 2 of 9 US 2005/0183008 A1 display system 200 206 display **description file** 201

207 208 209 VI ... a display system displays the element in accordance with the **layout** of the **condition** and **layout** pair whose ... 1 illustrates example **layouts** of a display description. ...

Mach: a content generating engine for adaptive multimedia applications in the mobile environment

C Wang - Proceedings of the 2007 conference on Human ... 2007 - portal.acm.org

... Each generated content is described by using a content **description file**. ... adaptation criteria manager: to determine the presentation **layout** and which media objects stored in the ... That is, the presentation contains only the media objects with the **conditions** evaluated to be true. ...

Related articles - Bi Direct - All 3 versions

[PDF] Department of Computer and Information Science University of Pennsylvania sahuquet@ saul. cis. upenn. edu

psu.edu [PDF]

A Sahuquet, F Azavant - Citeseer

... The applet **layout** represents the 3-layer architecture of the wrapper. ... The wrapper **description file** IMDB.w4f is then compiled into a Java class IMDB.class (less than 5 kb)3 ... visual tools like [1]. With rich features like hierarchical and flow-based navigations, **conditions** and nested ...

Related articles - View as HTML - All 6 versions

Test case management tools for accessibility testing

aegean.gr [PDF]

S Herramhof, H Petrie, C Strobbe, E ... - ... Helping People with ..., 2006 - Springer

... 1. Status information about a test case **description file** ... Open questions need information about **layout** and spacing to be presented correctly to user panel by Amfortas ... database model is straightforward: it is actually a normalized view on the users personal **condition** and technical ...

Cited by 8 - Related articles - Bi Direct - All 7 versions

[PDF] Pml: Representing procedural domains for multimedia presentations

psu.edu [PDF]

A Ram, R Catrambone, MJ Guzdial, CM Kehoe, DS ... - 1998 - Citeseer

... Precondition State precondition Procedure Links the preconditions or enabling **conditions** of an action to ... The tkPML tool saves a PML **description file** in an augmented PML format file. ... For such files, tkPML uses a simple graph **layout** algorithm Page 16. 16 ...

Cited by 3 - Related articles - View as HTML - All 14 versions

[PDF] Hypermedia Markup Language

cll.gr [PDF]

C Bouras, V Pouloupoulos - ru6.cit.gr

... information that could help decrease the extraordinary extent of the chaotic **conditions**. Advantages and Disadvantages of HMM ... The conceptual ideas for representing the **layout** structure are borrowed by **HTML**. ... **XML HTML SGML Markup XML** (defined by author) ...

Related articles - View as HTML

[PDF] DEVELOPING AN XML LANGUAGE FOR CREDIBLE WIRELESS NETWORK SIMULATION

bucknell.edu [PDF]

AW HALLAGAN, LF PERRONE - 2009 - bucknell.edu

... the network (which represent individual computers), node density, coverage area, geographical **layout**, etc ... of different steps in the process; the generation of the model **description file** is no ... a model, and provide a way to automatically check those setup **conditions** before running ...

Related articles - View as HTML - All 2 versions

A Procedural Model for the Production of reusable and standard-compliant E-Learning Offerings

[aisinet.org \[PDF\]](#)

C Müller, M Trier - Wirtschaftsinformatik 2005, 2005 - Springer

... It requires an **XML-description file** for every Content Package, which at least includes the obligatory ... Next to these **layout** definitions, the SCO has to be specified from a programmer's perspective. ... **condition** is hence oriented backwards, as it is defining the **conditions** before the ...

[Cited by 3](#) - [Related articles](#) - [All 5 versions](#)

Generating an XML-Based Search Index for an Effective Search of Office Documents

[knowledge Taiwan.org \[PDF\]](#)

S Chaivichienchai, J Lin, K ... - International Journal of ..., 2007 - knowledge Taiwan.org

... Each template contains document settings such as fonts, page **layout**, special formatting, and styles. ... 298 Generating an **XML-Based Search Index** For an Effective Search of Office Documents ... Search: In order to attain high precision search results, a search **condition** is defined ...

[Related articles](#) - [View as HTML](#)

The Design and Development of an Adaptive Web-Based Learning System

C Wang - Human Interface and the Management of Information. ..., 2009 - Springer

... That is, each constituent media object of a presentation is associated with a **condition** indicating which type of ... 3, an AMML **description file** is consisted of three major blocks. 1. The head block describes a presentation's properties of the spatial dimension, ie, the **layout** of the ...

[Related articles](#) - [All 2 versions](#)

[DOC] LE4-8334 SpeechDat-Car

[upc.es \[DOC\]](#)

C Draxler, J Boudry, O Jameton, H van den Heuvel, ... - gps-tsc.upc.es

... README.TXT, plain text ISO8859 formatted DB **description file**. ... Note: Some label fields in this **layout** are split over several lines (eg CEO); in the SAM label file, there is no end-of-line delimiter in ... The recording **condition** table stores all information relevant to a recording session. ...

[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[PDF] BrowseUserInfo, 343 Build Dynamic String action, 451, 452, 453 BuildStringActivity activity, 532, 533 business activities. See activities

[wiley.com \[PDF\]](#)

C Property, C Date, D Binding - ACEs (access control entries) - media.wiley.com

... and, 562-563, 568 Declarative Rule **Condition** menu option ... object, 62 DependencyObject, 209, 211 deployment **LAYOUTS** subfolder and ... 577 deployment files (ConferenceRequestWorkflow workflow) ConferenceRequestSiteColumnsandContentTypesFeature .xml, 230-231 ...

[View as HTML](#) - [All 2 versions](#)

Creating and configuring component-based applications using a text-based descriptive attribute grammar

HR Davidson, D Penn - US Patent 6,083,276, 2000 - Google Patents

... Thus, 20 text-based **XML**-compliant grammar. ... must understand and master procedural needed is a system and method for modeling the component programming in order to take advantage of **HTML's** newest structure ... file "glnal aPPilcatl'n , , , , c™ , , T , , * . **description file**. ...

[Cited by 40](#) - [Related articles](#)

Recording medium storing image data and print information, and recording apparatus for the recording medium

T Yamaguchi, S Sakaue - US Patent App. 11/257 087, 2005 - Google Patents

... TYPE A S11 S12 ACQUIRE INFORMATION OF SELECTED IMAGE FILE ACQUIRE PRINT
CONDITION (NUMBER OF PRINTS ETC.) DESIGNATED S13 S14 ACQUIRE INFORMATION
OF SELECTED CONTENT TYPE (TEMPLATE) ACQUIRE PRINT **LAYOUT** S15 GENERATE ...

Mapping physical formats to logical models to extract data and metadata: The defuddle parsing engine

T Talbot, K Schuchardt, E Stephan, J Myers, J ... and Annotation of Data, 2008 - Springer

... parser supports the description of the content, structure and physical **layout** (endian-ness ...
Applications can utilize the ESM library to parse this **description file** and transparently decode
the ... When evaluating **conditions**, the annotations are passed on to a **condition** evaluator to ...
[Cited by 6](#) - [Related articles](#) - [BI Direct](#) - [All 7 versions](#)

[pnl.gov](#) [PDF]

Multimedia information structuring and application generating method and apparatus

N Day - US Patent App. 03/739,012, 2001 - Google Patents

... That is, two kinds of files, (1) an **XML description file** describing information contents with **XML**
and ... style sheet as represented by XSL has been related only to a display **layout** for text ... inventors
have recognized that for expressing audio/image information with DDL or **XML** so that ...

[PDF] Arbeitsbericht WI-2005-02

C Müller, M Trier - wm-tagung.de

... It requires an **XML-description file** for every Content Package, which at least in- cludes the
obligatory ... Next to these **layout** definitions, the SCO has to be specified from a programmer's
perspective ... This **condition** is hence oriented backwards, as it is de- fining the **conditions** before ...
[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[wm-tagung.de](#) [PDF]

[PDF] Constructing Web subject gateways using Dublin Core, the Resource Description Framework and Topic Maps

C FONT - Citeseer

... The needs analysis established the **conditions** to be fulfilled by the application. ... between a simple
search and an advanced search, following the most common search **layout** interface found ... As
a complement, part of the **description file** is stored in a hash table, in the main memory ...
[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[psu.edu](#) [PDF]

A Context-Aware Adaptation Model for Efficient Web Browsing on Mobile Devices

R Cheung - Advances in Communication and Networking, 2009 - Springer

... Low, High, Medium Proxy cache size Low, Medium, Large Screen **layout** Horizontal, Vertical ... the
service configuration policies, the WebPADS system maintains a configuration **description file**
utilizing **XML** ... specifies an event and a relational value that will fulfill that **condition** ...
[Related articles](#) - [All 2 versions](#)

[HTML] Constructing Web subject gateways using Dublin Core, the Resource Description Framework and Topic Maps

J Trammulas - 2009 - igruclius.bd.us.es

... The needs analysis established the **conditions** to be fulfilled by the application. ... between a simple
search and an advanced search, following the most common search **layout** interface found ... As

[ub.es](#) [HTML]

a complement, part of the **description file** is stored in a hash table, in the main memory ...

[Cited by 1](#) - [Related articles](#) - [Cached](#) - [All 3 versions](#)

[\[PDF\] SISCO: an object-oriented supply chain simulation tool utilizing JAVA and XML](#)

[psu.edu](#) [PDF]

DC Chatfield, TP Harrison, JC Hayya - Decision Support Systems, 2006 - Citeseer

... supply chain **layout** is built in a drag-and-drop fashion, resulting in a set of nodes and arcs ...
description of the supply chain and experimental **conditions** into a working simulation model. ...
must be executed readily based on what is identified in the supply chain **description file**. ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[Publication of Electronic Geometry Models](#)

M Joswig, K Polthier - Mathematics and Culture II, 2005 - Springer

... This DTD is the formal specification of the **XML description file**, see Section 4. It is recom ... specifying **layout** details, the **XML** document itself typically stays completely neutral with respect to **layout**. ... of a cube has an opposite facet F -, which is characterized by the **condition** that F ...

[Related articles](#) - [All 2 versions](#)

[\[PDF\] SilverStream eXtend Director](#)

[novell.com](#) [PDF]

P Guide - novell.com

... Graph **Layout** Toolkit and Graph Editor Toolkit ©1992 - 2001 Tom Sawyer Software, Oakland ...
2. Any pre-existing intellectual property disclaimers, notices, or terms and **conditions**. ... the
Presentation Layer for the Application" • Chapter 3, "Working with Portal **Layouts**" • Chapter 4 ...

[View as HTML](#) - [All 3 versions](#)

[File Delivery Session Handling](#)

T Paita - US Patent App. 11/575,396, 2005 - Google Patents

... session is referred in the SMIL, at least one SDP (or other session **description**) **file** in the ... different
dis- play **layouts**, and define when in the presentation the different display **layouts** are operative. ...
at which the content is rendered to vary from a given template or **layout** during the ...

[All 4 versions](#)

[Graphml transformation](#)

[psu.edu](#) [PDF]

U Brandes, C Pich - Graph Drawing, 2005 - Springer

... pre- and postprocessing the GraphML file to make it satisfy given **conditions**, such as ... In turn, it
provides the resulting coordinates and other **layout** data in order for the style sheet to ... presented
here is only one of many ways of mapping an ex- ternal graph **description file** to an ...

[Cited by 9](#) - [Related articles](#) - [All 11 versions](#)

[\[CITATION\] The interactive virtual space presentation system considering users background](#)

T Ishii, Y Shibata - ... Conference on Advanced Information Networking and ..., 2005

[Related articles](#) - [All 6 versions](#)

[Automation systems for generating web-based mathematical learning and presentation materials](#)

Y Shiota - International Journal of Computational Science and ..., 2006 - Inderscience

... of how to present materials, in most existing SCORM learning materials, physical **layout** representations are written in **HTML** in which the logical structures and physical **layouts** are not ...

Next, we explain the meta-level **description file** shown in Figure 4. The attribute 'data ...

[Cited by 2](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

Constructing Web subject gateways using Dublin Core, RDF and Topic Maps

J Tramullas Saz, P Garrido Picazo - Information research, 2005 - dialnet.unirioja.es

... The needs analysis established the **conditions** to be fulfilled by the application. ... between a simple search and an advanced search, following the most common search **layout** interface found ... As a complement, part of the **description file** is stored in a hash table, in the main memory ...

[Cited by 4](#) - [Related articles](#) - [Cached](#) - [All 5 versions](#)

[unirioja.es](#) [HTML]

[PDF] EMC 2 On-the-Fly Configurations

A Rafich - 2006 - wpi.edu

... who use it. Window **layouts**, menus, and help facilities fall under the umbrella of HCI. ... When the planner is satisfied with the lab **layout**, selecting the "Save" Button from the "File" pull down menu will result in an **XML description file** being generated. This file ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[wpi.edu](#) [PDF]

[PDF] Presentation Dynamism in XML

P Schmitz, S Thompson, P King - Twelfth International World Wide Web ..., 2003 - Citeseer

... values (eg if script changes a value, or if user interaction forces a re-**layout**). ... Some common use-case scenarios for event predicates include collision events, limit-**conditions** (when a ... such an approach is hard to maintain, and inefficient to express, bloating the **description file**. ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[psu.edu](#) [PDF]

[PDF] XML/Non-XML Translator

BEA WebLogic - 2001 - download.oracle.com

... Format Builder is used to create descriptions of binary data records. Format Builder allows you to describe the **layout** and hierarchy of the binary data so that it can be translated to or from **XML**. ... n Transform the **XML** to a display format (**HTML**) ...

[View as HTML](#) - [All 5 versions](#)

[oracle.com](#) [PDF]

Using Cognitive Principles to Design Multimedia Training Environments to Support Learning

J Stasko, R Catrambone, M Guzdzai, A Ram, GEORGIA ... - 1998 - oai.dtic.mil

... PML provides a way to **lay out** knowledge without the concern about how the knowledge would ... links can be created and positioned with simple mouse actions, and the **layout** can be ... is the usual operational state of that thing; other states represent problem **conditions** that may ...

[Related articles](#) - [All 4 versions](#)

[dtic.mil](#) [PDF]

Using Cognitive Principles to Design Multimedia Training Environments to Support Learning

A Ram, R Catrambone, J Stasko, M Guzdzai - 1998 - Storming Media

... PML provides a way to **lay out** knowledge without the concern about how the knowledge would ... links can be created and positioned with simple mouse actions, and the **layout** can be ... is the usual

operational state of that thing; other states represent problem **conditions** that may ...

[Related articles](#)

[The VizieR database of astronomical catalogues](#)

[arxiv.org](#) [PDF]

F Oehsenbein, P Bauer, J Marcout - Arxiv preprint astro-ph/0002122, 2000 - arxiv.org

... The ReadMe **description file** starts with a header specifying the basic references — title, authors, references — and contains a few key sections introduced by ... The interest of having a link, or an anchor in **HTML** terms, becomes obvious when a table contains a column repre ...

[Cited by 196](#) - [Related articles](#) - [View as HTML](#) - [BI Direct](#) - [All 11 versions](#)

[\[book\] XML-centered Information Handling in Technical Documentation](#)

[psu.edu](#) [PDF]

M Ebner - 2005 - Citeseer

... 44 4.2.1 **Conditions** Page 13. 2.1. **XML** 4 like the markup in an **HTML** document, but there are some crucial differences. Most important, **XML** is a meta-markup language. That means it does not have a fixed set of tags and elements. ...

[Related articles](#) - [View as HTML](#) - [All 11 versions](#)

[\[HTML\] Sharing Functionality on the Web](#)

[gwda.de](#) [HTML]

T van Veen, G Petz, C Sadilek, M ... - D-Lib Magazine, 2009 - webdoc.sub.gwdg.de

... indicating that a service may be included in a metasearch; alert if a **condition** is met ... However, TEL cannot be held responsible for services that users put in their own service **description file**. ... data or service provider may offer a very simple service without complicated **layout** for this ...

[Related articles](#) - [Cached](#) - [All 3 versions](#)

[\[PDF\] An Encapsulation Structure and Description Specification for Application Level Software Components](#)

[buaa.edu.cn](#) [PDF]

J Guojie, Y Baolin - ... of the 2009 International Conference on ..., 2009 - gait.buaa.edu.cn

... to stand for all sorts of electronic files containing information about visual **layouts** and manual ... and Input/Output DataConstraintCondition describing various types of **conditions** in the ...

DESCRIPTION FILE OF LOAN FORMS FILLING COMPONENT ID: 5588ce2e-0808-11dc-9a1b ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[Development of a remote monitoring system based on Grid-EPICS for tokamak experiments](#)

IS Choi, H Jhang, KH Kim - Fusion Engineering and Design, 2008 - Elsevier

... For instance, the Tokamak Monitoring System (TMS) in KSTAR consists of nearly eight GUI **layouts**. ... operation methods in Table 1 so that all PVs in a single GUI **layout** can be ... Client side security has been implemented in code base without using a security **description file**. ...

[Related articles](#) - [All 6 versions](#)

[A Semantic Explanation and Symbolic Computation Approach for Designing Mathematical Courseware](#)

Y Shirota - 2005 - computer.org

... Meanwhile, their disadvantage is that they produce Web pages of uniform appearance whose content, **layout** and generated dialogues can ... Metalevel- **Description File** ... In the example, the main balance **condition** $Qs(P)=Qd(P)$, which represents quantity supplied Qs is equal to ...

[Cited by 5](#) - [Related articles](#) - [All 4 versions](#)

[PDF] VIDE: A visual authoring tool for adaptive websites tailored to non-programmer teachers

[psu.edu \[PDF\]](#)

J Armani - Educational Technology & Society, 2005 - CiteSeer

... a resource has a graphic template to present its content with a particular **layout** and look ...

information is stored in the Course **Description file**, which is accessed by the ADLEGO system ...

To ensure the interface consistency, fragment rules share the same **condition** editor of the ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [BI Direct](#) - [All 7 versions](#)

[BOOK] Java APIs for XML: kick start

A Chowdhury, P Choudhary - 2002 - books.google.com

... Dan Scherf Team Coordinator Lynne Williams Interior Designer Gary Adair Cover Designer Aren

Howell Page **Layout** Ayanna Lacey ... This has given birth to Extensible Markup Language (XML).

Like **HTML**, it is also a subset of the SGML standard, but unlike **HTML**, it is tailored ...

[All 3 versions](#)

10 EG-Models-A New Journal for Digital Geometry Models

[tu-berlin.de \[PDF\]](#)

M Joswig, K Polthier - Multimedia tools for communicating ..., 2002 - books.google.com

... This DTD is the formal specification of the **XML description file**, see Sec- tion 10.5 ... structuring tags

are mainly used for specifying **layout** details, the **XML** doc- ument itself typically stays completely

neutral with respect to **layout**. The second crucial thing about **XML** is its extensibility ...

[Related articles](#) - [All 2 versions](#)

ADAM: an adaptive multimedia content description mechanism and its application in web-based learning

C Wang, DZ Wang, JL Lin - Expert Systems with Applications, 2010 - Elsevier

... To support adaptivity, each media object is associated with a **condition** indicating which ...

ACCEPTED MANUSCRIPT content **description file** adaptive presentation engine (ADAM) learner

model ... ACCEPTED MANUSCRIPT non-streaming head region root-**layout** body par seq ...

Klusters, NeuroScope, NDManager: a free software suite for neurophysiological data processing and visualization

[ruigers.edu \[PDF\]](#)

L Hazan, M Zugaro, G Buzsáki - Journal of neuroscience methods, 2006 - Elsevier

... that the programs featured easy and efficient user interfaces: intuitive and flexible **layout** of the ...

date and comments, etc.) is stored in a common parameter file in **XML** format ... which can flexibly

combine different numbers and types of views arranged in custom **layouts** and showing ...

[Cited by 24](#) - [Related articles](#) - [All 5 versions](#)

[PDF] Design and user evaluation of a spatial audio system for blind users

[reading.ac.uk \[PDF\]](#)

SH Kurniawan, A Sporka, V Namee, ... - Proceedings of The ..., 2004 - icdvrat.reading.ac.uk

... The late reverberation carries the information about the overall **layout** of the ... the calculation by

reading the configuration of the rendering task from an external task **description file**. ... Further studies

are also needed to investigate users' mental model of various room **conditions**. ...

[Cited by 15](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

Enabling full service surrogates using the portable channel representation

[psu.edu \[PDF\]](#)

M Beck, T Moore, L Abrahamsson, C Achoultz, P ... - Computer Networks, 2002 - Elsevier

... As things currently stand, the Web falls far short of satisfying this **condition**. ... small class of directives supported by many available HTTP servers, and finally to **HTML** with powerful ... PCR description is an encoding of metadata (using the extensible markup language (XML) [6] and ...

[Cited by 7](#) - [Related articles](#) - [All 34 versions](#)

[Modernizing JavaServer Pages by Transformation](#)

[psu.edu](#) [PDF]

S Xu, T Dean - 2005 - computer.org

... The **HTML** code is used to **layout** the data, while the application code is embedded in the ... its body content (the table cells and table rows) repeatedly until some **condition** be- comes ... These are the modernized JSP pages, the tag library **description file**, and the custom tag classes. ...

[Cited by 7](#) - [Related articles](#) - [All 6 versions](#)

[\[PDF\] BEHAVIORAL ROBOT SIMULATION FOR PRODUCTION SYSTEMS](#)

[uni-miskolc.hu](#) [PDF]

T JUHÁSZ - at.tit.uni-miskolc.hu

... ideas and techniques developed during the simulation process yield to ideal **conditions** to raise ... up life-cycle assessments by virtual prototypes allow devising the optimal **layout** and the ... a tree structure that are handled and stored hierarchically in the X3D scene **description file**. ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Automatic Generation of Web-Based Mathematical Courseware for Solving Simultaneous Equations](#)

Y Shirota - Web and Communication Technologies and Internet- ..., 2005 - Springer

... their disadvantage is that they pro- duce Web pages of uniform appearance whose content, **layout** and generated ... 7. A metalevel **description file** of the supply and demand problem in Figure 6 ... The two contour lines correspond to the **conditions** $T=0$ and $T=5$ on the function $Q_s=Q_s$...

[Related articles](#) - [BL Direct](#) - [All 4 versions](#)

[\[PDF\] ASP .NET HTTP runtime pipeline \(continued\)](#)

[johnwiley.com.au](#) [PDF]

C Boolean- architecture {SharePoint} - media.johnwiley.com.au

... element of <View> element, 134 <GroupByHeader> element generated **HTML**, 135
HighPriorityBugAlert timer job, 434-436 **HTML** generated by ... web.config configuration settings,
469 web.config file, 35, 594 web.config file content, 29 .webpart **XML description file** example, ...

[View as HTML](#) - [All 2 versions](#)

[\[HTML\] Analysis of cell-based RNAi screens](#)

[biomedcentral.com](#) [HTML]

M Boutros, L Brás, W Huber - Genome Biology, 2006 - biomedcentral.com

... The screen **description file** contains a general description of the screen, its goal, the **conditions** under which it ... The plate configuration file contains information about the common **layout** of the plates in the experiment, and it assigns each well to one of the following categories ...

[Cited by 67](#) - [Related articles](#) - [Cached](#) - [All 11 versions](#)

[\[PDF\] Web-based Thematic Map Service in OpenGIS Environment](#)

[psu.edu](#) [PDF]

JH Hong, SY Lin - CiteSeer

... For example, it is preferred the uploaded thematic data and the corresponding spatial **description file** referring to ... To appropriately adjust the **layout** and symbols in the thematic maps, OGC Styled

Layer Descriptor ... Each rule specifies the **condition** either data or service must fulfill. ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[BOOK] Apollo for Adobe Flex Developers Pocket Guide

M Chambers, R Dixon, J Swartz - 2007 - [books.google.com](#)

... 3. **HTML** Standard web-based markup language used to create and **layout** web pages. ... namespaces, methods, modules, properties, parameters, values, objects, events, event handlers, **XML** tags, **HTML** ... Develop with relatively high-level programming and **lay-out** languages. ...

[Cited by 2](#) - [Related articles](#) - [All 4 versions](#)

[PDF] Project Specification and Plan

A Macdonald - [panda.cs.st-andrews.ac.uk](#)

... services client – they simply give the system a link to the services **description file**. ... SOAP SOAP (Box, et al., 2000) is a message **layout** specification that describes a ... Semantic Annotation languages specify **pre-conditions** and the effects of services, using standard ontologies. ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[st-andrews.ac.uk](#) [PDF]

[PDF] Specifications of Arabic TTS Speech corpus

K Choukri, SH RDI - 2005 - [medar.info](#)

Page 1. Specifications of Arabic TTS Speech corpus Khalid Choukri (ELDA) Salah Hamid (RDI) With the contribution of the NEMLAR partners 3rd May 2005 Page 2. 2 The NEMLAR project is supported by the INCO-MED programme ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[medar.info](#) [PDF]

Image supply apparatus, control method therefor, and printing system

F Goto, H Hirabayashi, T Aichi, A ... - US Patent App. 11/ ..., 2005 - Google Patents

... environment can be constructed, the DSC can grasp the printer capacity, and print **conditions** can be set ... items (eg, the size and type of available print medium, print quality, and **layout**) in the ... to a description language such as a markup language including **HTML** or **XML** in which ...

[All 4 versions](#)

KEGGconverter: a tool for the in-silico modelling of metabolic networks of the KEGG Pathways database

K Moutselos, I Kanaris, A Chatzicannou, I ... - BMC ..., 2009 - [biomedcentral.com](#)

... attain a nicer graphical **layout**, in terms of clarity of the delineation of the graph, many ... better stability in the boundary **conditions** of the models. ... systems- biology.org/001/001.html] 5. KEGG API [http://www.genome.jp/kegg/soap/] 6. KGML [http://www.genome.jp/kegg/xml/] 7. Hucka ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[biomedcentral.com](#) [PDF]

[PDF] Software Architecture for Mobile Mixed Reality and 4D BIM Interaction

M Hakkarainen, C Woodward, K Rainio - Proc. 25th CIB W78 Conference - virtual.vti.fi

... The map **layout** of the Player shows the current user position on the area ... can define the approximate view direction interactively, by select- ing the so-called pointing model from the map **lay-out** ... The Player should then be able to load the project **description file** together with the ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[vti.fi](#) [PDF]

[\[PDF\] DATA MANAGEMENT FOR LARGE SCALE POWER QUALITY SURVEYS](#)

[uq.edu.au](#) [PDF]

ML Peard, ST Elphick, VW Smith, VJ Gosbell, D ... - itee.uq.edu.au

... to properly assess networks affected by such a diversity of geographical, load type and seasonal

conditions. ... A specific **layout**, called the PQ4 format, has been developed for the four types of data ...

It takes as arguments a **description file** and a CSV file, and produces an **XML file** ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Scalable Vector Graphics \(SVG\) Based Multi-Level Graphics Representation for Engineering Rich-Content Exchange in Mobile Collaboration Computing ...](#)

[ucla.edu](#) [PDF]

X Su, BS Prabhu, CC Chu, R Gadhi - Journal of Computing and ..., 2006 - link.aip.org

... There are four parts in this **description file**. ... The second part describes the general information

of the graphics content **layout**. ... The testing shows satisfactory results in representing different

engineering graphics content (drawings, schematics, **layouts**, etc.). ...

[Cited by 1](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

[Moka: a wireless internet application for delivering mobile karaoke on umts devices](#)

M Rocchetti, P Salomoni, V Ghini, S Ferretti, S ... - Proceedings of the ... - actapress.com

... All the multimedia resources (specified in the SMIL **description file**) are stored on different

replicated ... region id="region1_2" top="1" left="15" height="75%" width="100%"> <layout> </head>

Figure ... the stream for each listener, depending on the dynamic network **conditions** of the ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] Stencil Set Specification](#)

[googlecode.com](#) [PDF]

N Peters - 2007 - oryx-editor.googlecode.com

... Although you will have to write **XML** code directly into the SVG document while creating the ... where

Oryx is running and add a reference to the stencil set **description file** in the ... The example stencil

set should provide stencils for activities with triggers, **conditions**, control flow, input ...

[Related articles](#) - [View as HTML](#)

[\[PDF\] METROPOLITAN TRAVEL SURVEY ARCHIVE Final Report to Bureau of Transportation Statistics](#)

[surveyarchive.org](#) [PDF]

D Levinson - 2004 - surveyarchive.org

... counts, highway capacity studies, pavement **condition** studies and cost-benefit analysis. ... samples

at different times, they employed a wide variety of record **layouts**, coding ... data with a common

data **description file** (DDL) enabling simple data base queries from ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[System and method for implementing a flexible data-driven target object model](#)

NP Street, CJT Cherrington, TC Robinson, AI ... - US Patent ..., 2006 - Google Patents

... ACM Press, 2004, p. 603-611.CO.* Wikes Vanburen Gilbert **XML** and the new design regime:

dispute between designers, application developers, authors, and readers in changing

technological **conditions** and per- ceptions of cial and professional need, 2002, p. 33-42.* W3C ...

[All 3 versions](#)

[\[PDF\] Web User Interface Migration through Different Modalities with Dynamic Device Discovery](#)

R Bandelloni, F Paterno, C Santoro, A Scoria - Proceedings AEWSE, 2007 - CiteSeer

... the possibility to trigger the migration process, depending on the surrounding context **conditions**. ... space (in pixels) needed to contain all its interactors in a readable **layout**. ... discovered devices, requesting them to discover themselves by sending an **XML description file** to the ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[\[PDF\] DEVELOPING AN AUTOMATIC METADATA EXTRACTION \(METEX\) SYSTEM FROM ELECTRONIC DOCUMENTS](#)

[atilim.edu.tr](#) [PDF]

M ÖZMERT - 2007 - library.atilim.edu.tr

... 38 Figure 3.11 **Description File** Contains **XML**-Tags Correspond to Excel Data.... 40 ... Figure 2.2 Business-to-Business Communications with **XML/EDI** [16] Figure 2.3 illustrates an example of **XML** code by comparing it with plain text and **HTML** formats[16]. 9 Page 26. ...

[Related articles](#) - [View as HTML](#)

[Web-based knowledge-intensive support framework for collaborative design of MEMS](#)

XF Zhu, H Du - Journal of Micromechanics and ..., 2002 - iopscience.iop.org

... The input to this simulation step is the mask **layouts** (eg in CIF or GDS II format) and a process **description file** (eg PFR). ... (1) function-behavior-structure modeler; (2) 2D drawing tool (including mask **layout editor**); (3) fabrication process sequence builder; (4) manufacturing ...

[Cited by 10](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)

[\[PDF\] Apollo for Adobe® Flex™ Developers](#)

[psu.edu](#) [PDF]

M Chambers, RL Dixon, J Swartz - 2007 - CiteSeer

... to create and **layout** web pages. JavaScript Web-based implementation of ECMA Script used to program content within **HTML** applications. PDF Portable Document Format that allows for seamless distribution and display of electronic documents. Flex Framework An **XML**- and ...

[View as HTML](#) - [All 7 versions](#)

[Plant-based microarray data at the European Bioinformatics Institute. Introducing ATMIAMExpress, a submission tool for Arabidopsis gene expression data to ...](#)

[plantphysiol.org](#) [HTML]

..., N Abeygunawardena, H Parkinson, S Contrino ... - Plant ..., 2005 - Am Soc Plant Biol

... in-house, then the user will need to supply the information as an Array **Description File** (ADF). ... developed by the MGED Society to provide terms for describing the experimental **conditions** for a ... Array designs contain data regarding the **layout** of the array or chip itself, the spots ...

[Cited by 5](#) - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

[\[PDF\] The Metropolitan Travel Survey Archive: A Case Study in Archiving](#)

[psu.edu](#) [PDF]

D Levinson, E Zolka - 2006 - CiteSeer

... planning to travel surveys as well as traffic counts, highway capacity studies, pavement **condition** studies and ... they employed a wide variety of record **layouts**, coding schemes, and documentation. ... **description file** (DDF) enabling simple data base queries from web-based software ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[System and method for facilitating the design of a website](#)

MP Arcuri, R Mauceri, C Hajduk - US Patent App. 10/925,098, 2004 - Google Patents
... in a navigation view, and to provide a separate page view in which to create and **lay out** a web ...
Based on the link bar element named within the link bar web file, the **description file** is translated
into ... As such, one or more content files may be web files (ie **HTML** files, **XML** files) and ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] Document Analysis Component Library](#)

A Anjewierden - 2003 - hcs.science.uva.nl

... model and UPML is that the **pre-conditions** in UPML is the concatenation of requires and
consumes, and the **post-conditions** are the ... Sometimes this information is data, but it can also
be marked up text or even **layout** information ... Some KB's tune **XML** based components to **HTML** ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[uva.nl](#) [PDF]

[\[HTML\] TAMEE: data management and analysis for tissue microarrays](#)

GG Thallinger, K Baumgartner, M Pirklbauer, ... - BMC ..., 2007 - biomedcentral.com

... During array production, the robot control software produces an array **description file** in tabular
form, including the ... thumbnail Figure 2. **Layout** of a TMA with 487 cores. ... management tasks like
altering and extending the data dictionary and the definition of array block **layouts**. ...

[Cited by 5](#) - [Related articles](#) - [Cached](#) - [All 14 versions](#)

[biomedcentral.com](#) [HTML]

[GCLC 7.0/WinGCLC 2007 \(Geometry Constructions -> LATEX Converter\) Manual](#)

P Janjic - 2007 - emis.ams.org

... 35 4.1 A Quick **Layout** of the Program XML_support **xml** suite for different processing of **xml**
files generated by GCLC. 2.2 First Example Using GCLC/WinGCLC is very simple. ... This sequence
will be repeatedly executed as long as <exp> **condition** is true (nonzero). Example: ...

[Related articles](#) - [All 4 versions](#)

[unam.mx](#) [PDF]

[\[PDF\] Description mechanisms supporting the configuration and management of TTP/A fieldbus systems](#)

S Pitzek - Master's thesis, Technische Universität Wien, Institut ..., 2002 - vmas.tuwien.ac.at

... The descriptions themselves are represented with the extensible markup language (**XML**)
and their structure defined with **XML** schemas. ... Die Beschreibungen selbst werden in **XML**
dargestellt und deren Struktur mit Hilfe von **XML** Schemas definiert. ...

[Cited by 0](#) - [Related articles](#) - [View as HTML](#)

[tuwien.ac.at](#) [PDF]

[A new concept of a unified parameter management, experiment control, and data analysis in fMRI: Application to real-time fMRI at 3 T and 7 T](#)

M Hollmann, T Mönch, S Multa-Osman, C ... - Journal of neuroscience ..., 2008 - Elsevier

... In any **XML**-based concept this is ensured in the according XSD. ... As another advantageous feature
the editor **layout** is constructed semi-automatically by reading the underlying definition for ... This
initial measurement consisted of a block of 42 images for each **condition**: 3 times [5 ...

[Cited by 2](#) - [Related articles](#) - [All 4 versions](#)

[\[PDF\] JMFGGraph—A Modular Framework for Drawing Graphs in Java](#)

A Stedile - Institute for Information Processing and Computer ..., 2001 - Citeseer

[psu.edu](#) [PDF]

... Das Programm beinhaltet zwei Variationen des hierarchischen Algorithmus zur Berechnung von Graphen-**Layouts** von Sugiyama ... 7.1 K5 graph visualised using focussed **layout** 54 7.2 JMFGGraph visualisation of the "Dynamic World Model" graph using focus-based **lay-out**

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 11 versions](#)

From coarse-grained components to DVE applications: a service- and component-based framework

X Zhang, D Gratzian - ... of the twelfth international conference on 3D ..., 2007 - portal.acm.org

... The component can react to the events when certain **conditions** are met. ... The format of the behaviors **description file** is described in Section 4.3 ... The CTDL document describes the construction principles, communication rules, interaction logic and the **layout** of the constructed ...

[Cited by 9](#) - [Related articles](#)

[PDF] DEPARTMENT OF ELECTRICAL ENGINEERING TECHNICAL REPORT

[psu.edu](#) [PDF]

LT Check, A Eleftheriadis - 2002 - Citeseer

... runtime synchronization behavior of a document, eg element can slip under such **condition** (soft ... in ODs in a file beginning of the separate from the scene document **description file** ... **Layout** description alternative **layout** spatial and temporal file scheme: CSS relationships, groups) (2 ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

Creating User Interface for Interactive Simulations

J Singh, J Sivaswamy - The Third IEEE International Conference on ..., 2010 - computer.org

... **ideal condition** will be where teachers have most of the required content at ... environment composition engine: The virtual environment composition engine creates the **layout** of the ... By defining different **description file** for an experiment instructive designer can create standalone ...

[Related articles](#)

Implementation of Webservices in AristaFlow

K Zhang - 2006 - GRIN Verlag

... are Web services and the standard WSDL doesn't include additional information for workflow systems like compliance **conditions**, taxonomies, roles and ... Furthermore, a **XML** style sheet can be used to show the **XML** file in a web browser with a more human-readable **layout**. ...

[All 2 versions](#)

[PDF] School of Informatics University of Edinburgh

[ed.ac.uk](#) [PDF]

M Corley, F Keller - 2005 - hrcr.ed.ac.uk

... 36 5.7.5 Further advice about **layouts** attractiveness and pupil size (nonparametric 2-**condition**) • discriminant reaction times 9 Page 10. There are also a couple of demonstrations, one showcasing the available features, and the other demonstrating the **layout** possibilities. ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[PDF] Services in Pervasive Computing Environments: from Design to Delivery

[psu.edu](#) [PDF]

D Carboni - 2004 - Citeseer

... 2.10 A view for a message with pre-**conditions** and **layout** assigned 38 2.11 The auxiliary class MessageMate assigns pre-**conditions** to ... 40 2.14 Definition and assignation of a **Layout** object

in the body of ... possible translation: **XML** to **HTML**, **XML** to **WML**, and **XML** to **VoiceXML**. ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[\[HTML\] Christopher D. Cera, Drexel University William C. Regli, Drexel University Ilya Braude, Drexel University Yuri Shapirstein, Drexel University](#)

[CV Foster](#) - [computer.org](#)

... a collaborating group of designers to perform knowledge mark-up of the evolving **3D layouts**. ...

Figure 4 b is the corresponding DAML **description file**, which makes references to the ontologies that ... However, these describe the structure of data or the **layout** of the document rather ...

[Cached](#)

[SCML: An information framework to support supply chain modeling](#)

[DC Chatfield, TP Harrison, JC Hayya](#) - [European Journal of Operational ...](#), 2009 - Elsevier

... So, instead of describing how a document will look (as **HTML** does), SCML provides a universal format for storing descriptions of the structural and managerial characteristics of a supply chain, with sufficient detail to support quantitative modeling. 5.2. Document types. **XML** is a ...

[Cited by 7](#) - [Related articles](#) - [All 5 versions](#)

[\[PDF\] Update on the Development and Validation of MERCURY: A Modern, Monte Carlo Particle Transport Code](#)

[RJ Proccassini, JM Taylor, MS McKinlay, ...](#) - [Proceedings of the ...](#), 2005 - [nuclear.lnl.gov](#)

... Figure 1. The **layout** of the fusion-neutron shielding test facility. ... processing), this new approach allows one to add a new section to the data-model **description file** for each ... As before, summary lists of the defined surfaces, cells and boundary **conditions** are available for review or ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[\[book\] SharePoint user's guide](#)

[B Acker, T Davey, R McGovern](#) - 2005 - [books.google.com](#)

... and directories Constant width Indicates commands, options, switches, variables, attributes, keys, **XML** tags. **HTML** ... you locate a site by providing navigation links, a search framework, and standardized site **layouts**. ... trying to locate a site or master the details of a new site **layout**. ...

[All 4 versions](#)

[VisTree: Generic Decision Tree Inducer and Visualizer](#)

[V Bhattacharjee, E Zaman, Y Rajpal, M ...](#) - [Databases in Networked ...](#), 2010 - Springer

... The **condition** node has branches corresponding to the split point (in case of continuous ... optimized data structures for tables, graphs, and trees, a host of **layout** and visual ... The attribute **description file** contains description of the attributes in the following format: Attribute 1 : type ...

[Related articles](#) - [All 2 versions](#)

[Interactive server side components](#)

[H Emmelhann](#) - [US Patent App. 09/449,021](#), 1999 - [Google Patents](#)

... Then, it generates **HTML** code in a way such that the ISSC event is sent to the server using a conventional HTTP GET or POST request. On the server, the event is then passed to the corresponding ISSC object. ... For **layout** editing see WYSIWYG editing. ...

[computer.org \(HTML\)](#)

[lnl.gov \(PDF\)](#)

[All 2 versions](#)

Mashing Up Data Services

I Chapter - Pro ADO.NET Data Services, 2009 - Springer

... Similar to other Microsoft development concepts, a block's architecture contains two components: an **XML description file** and a code ... The **XML** file is the definition of the operations, input, and output, while the JavaScript file ... 3. Accept the terms and **conditions**, and click OK. ...

[PDF] Design and Implementation of an Application Server for an IPTV Environment

[kth.se](#) [PDF]

BH Tavesigi - [it.kth.se](#)

... **XML** as data handler 37 ... The main system collects the information needed from each module via the module **description file** which is a mandatory file in each module. ...

[Related articles](#) - [View as HTML](#)

[PDF] End-to-end analysis of cell-based screens: from raw intensity readings to the annotated hit list

[ism.ac.jp](#) [PDF]

M Boutros, L Brás, F Hahne, W Huber - 2009 - [grs.ism.ac.jp](#)

... Screen **description file** contains a general description of the screen, its goal, the **conditions** under which it ... In cellHTS2 package we provide a function that creates a template **description file** whose entries can be ... first 5 lines of this file are shown in Table 4, and the **layout** for the ...

[Related articles](#) - [View as HTML](#) - [All 11 versions](#)

[PDF] AstroGrid-D

[astrogrid-d.de](#) [PDF]

GU Guide - [astrogrid-d.de](#)

... 2.2.1 job **description file** Most of the job submission procedures require a job description. Such a description depends greatly on the specific application. ... Note that the document has an **XML**-like syntax, and uses **HTML/XML** comments (<!-- ...

[Related articles](#) - [View as HTML](#) - [All 14 versions](#)

[CITATION] Mastering Borland Delphi 2005

M Carlu - 2006 - Wiley-India

[Cited by 7](#) - [Related articles](#) - [Library Search](#) - [All 4 versions](#)

[PDF] End-to-end analysis of cell-based screens: from raw intensity readings to the annotated hit list (Short version)

[firc.org](#) [PDF]

M Boutros, L Brás, F Hahne, W Huber - 2009 - [bioconductor.firc.org](#)

... Screen **description file** contains a general description of the screen, its goal, the **conditions** under which ... In the cellHTS2 package we provide a function that creates a template **description file** whose entries can be ... first 5 lines of this file are shown in Table 4, and the **layout** for the ...

[Related articles](#) - [View as HTML](#) - [All 10 versions](#)

☒ [Create email alert](#)

Google

Result Page:

1 2 3 4

[Next](#)

"description file" and layout and con Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google